

About This Release

Cognex ViDi 3.2.1 introduces the following new features and enhancements:

- This release introduces the **ViDi Client/Server** functionality, allows you to use the training and runtime implementations of the ViDi software on multiple PCs, through the use of a server/client model. This functionality gives you the option of using a remote service for runtime inference and/or training, instead of using the GPU on your local PC. This can be useful if you have a more powerful GPU on the server, or perhaps you do not have a GPU installed locally.

This functionality supports up to 4 clients for deployment operation, and up to 8 clients for development.

- This release provides enhancements and speed improvements for the ViDi runtime:
 - Support for NVIDIA® Tensor Cores has been added, and the *GPU Optimization* feature also now supports Tensor Cores.
 - The **Low Precision** parameter has been added to the Red Analyze and Green Classify tools, which optimizes the tools for speed during runtime operation.
- The **Feature Filter** has been added to the Blue Locate and Blue Read tools, which allows you to filter found features by ID, X, Y, size and orientation.
- The ViDi GUI and the ViDi Help file have been translated into Simplified Chinese. To view the GUI and Help in Chinese, the OS language setting must be set to Simplified Chinese.
- Support for up to 32MP images (up to 16k in height or width) has been added.

Note:

- The VisionPro, Designer and ViDi software require that a valid Cognex Dongle be installed during all phases of operation. Any attempts to temporarily remove, substitute, or share a Cognex Dongle may cause your system to operate incorrectly, and may result in the loss of data.



When ViDi is configured for the Client/Server functionality, and a computer has been configured as a server, the Cognex Dongle must be attached to the server, but the client(s) does not need a Cognex Dongle.

- For more information about the new API functionality, see the ViDi .NET Library documentation.
- The ViDi Client/Server functionality is not supported by the ViDi Sub Task Designer plugin.
- The ViDi Sub Task Designer plugin GUI and Help have not been translated into Simplified Chinese.

Migrating to This Release

This topic contains information about changes that may affect existing ViDi 3.1 projects when migrating projects from previous releases to the current release.

ViDi Sub Task Designer Plugin

When you open previously created Designer projects that contain the ViDi Sub Task Designer plugin, they will continue to use the previous version of the ViDi plugin unless the plugin is updated in Designer. If you attempt to load a project that contains the older plugin version, you will be prompted to update the plugin to the latest version.

All newly created projects after ViDi 3.2.1 has been installed will use that version of the plugin, even if the previous version is still installed.

To manually update the Designer project's plugin version to version 3.2.1 of ViDi, you will need to perform the following steps:

1. Launch Designer.
2. From the Designer Launch Page, select the project containing the VisionPro ViDi components.
3. Open the **Utilities** and launch the **Project Plugin Configurator** utility.
4. The Select a project dialog will be launched, where you can select the project.
5. Check the check box of the 3.2.1 version, and un-check the previous version.
6. Press the **OK** button.

VisionPro ViDi

C Library Function Deprecation

A number of C library functions were deprecated, as follows:

- Runtime functions

Note: The deprecated functions are located in a new `vidi_runtime_legacy.h` header file.

Previous Version	New Version
<code>vidi_runtime_get_overlay</code>	Not available
<code>vidi_runtime_process_sample</code>	<code>vidi_runtime_sample_process</code>
<code>vidi_runtime_get_image</code>	<code>vidi_runtime_sample_get_image</code>

- Training functions

i Note: The deprecated functions are located in a new `vidi_training_legacy.h` header file.

Previous Version	New Version
<code>vidi_training_stream_process_sample</code>	<code>vidi_training_sample_process</code>
<code>vidi_training_blue_add_feature</code>	<code>vidi_training_blue_set_feature</code>
<code>vidi_training_blue_add_model</code>	<code>vidi_training_blue_create_model</code>
<code>vidi_training_tool_set_mask</code>	<code>vidi_training_roi_set_mask</code>
<code>vidi_training_tool_get_mask</code>	<code>vidi_training_roi_get_mask</code>
<code>vidi_training_ini_sample</code>	<code>vidi_training_add_sample</code>
<code>vidi_training_process_sample</code>	<code>vidi_training_sample_process</code>

NuGet Package Deprecation

The use of NuGet packages have been deprecated, and are no longer included in the ViDi installer. If you have runtime and/or training applications that reference the NuGet packages from an earlier ViDi release, you will need to remove those references, and replace them with references to the .NET .dll libraries, instead.

To remove NuGet packages in Visual Studio, select Tools -> NuGet Package Manager -> Manage NuGet Packages for Solution...

To add the .NET .dlls, in your project, right-click and select Add -> Reference.

Past Releases - ViDi 3.0 to 3.1

- For the Blue Locate Tool, a change was made in the behavior of X and Y position clamping when using model matching. In version 2.1, these constraints were interpreted to apply to the position of the origin of the model coordinates. In version 3.0, they are interpreted as constraints on the position of the centroid of the nodes in the model.

Resolved Issues

This section describes changes and resolved issues in ViDi 3.2.1.

Issue	Description
AIC-1861	Corrected an issue with NVIDIA drivers 411.31 and newer. For more information, please visit the Cognex Support Site VisionPro ViDi Software Drive Support page.
AIC-1801	The Set Group option has been restored to the Action for N Views menu in the View List, which allows you to create a group of images when using the Red Analyze tool in Unsupervised Mode.
AIC-1201	Corrected an issue where a workspace would not function correctly if a stream contained a single quote in the name.
AIC-1223	Corrected an issue where the ViDi Suite GUI would become unresponsive when applying a region for a Red Analyze tool with numerous views.
AIC-1387	Corrected an issue where the ViDi Suite GUI would not terminate properly after attempting to connect to a runtime-only service.
AIC-1293	Corrected an issue with interactions of different VisionPro components in the Designer IDE when the ViDi Sub Task Designer plugin was installed.

System Requirements

This topic covers the computer operating system and hardware requirements to use VisionPro ViDi and/or the ViDi Sub Task Designer plugin in your application.

Operating System Requirements

Microsoft® Windows® Operating System	English	Chinese
Windows 10 Professional (64-bit)	✓	✓
Windows 7 Professional (64-bit), Service Pack 1	✓	✓
Windows Server 2016	✓	✓

Note:



- Windows Server 2016 is only supported for servers configured to use the ViDi client/server functionality. Configuring clients on the Windows Server 2016 OS is not supported.
- The use of the ViDi software or the ViDi Suite Service on a virtual machine (VM) is not supported.

Computer Hardware Requirements

- CPU = Intel® Core™ i5, i7 or Xeon processor
- Memory = 4-8GB of available RAM (4GB for runtime and 8GB for training)
- Graphics Card = NVIDIA® CUDA® enabled GPU (with a compute capability ≥ 3.0)
- USB 2.0 port to connect the Cognex Dongle

Note:

The VisionPro, Designer and ViDi software require that a valid Cognex Dongle be installed during all phases of operation. Any attempts to temporarily remove, substitute, or share a Cognex Dongle may cause




your system to operate incorrectly, and may result in the loss of data.

When ViDi is configured for the Client/Server functionality, and a computer has been configured as a server, the Cognex Dongle must be attached to the server, but the client(s) does not need a Cognex Dongle.

Recommended Graphics Cards

	Graphics Card Model	Performance	System Power Supply
NVIDIA GeForce®	GTX 1060	Low to Medium	$\geq 500W$
NVIDIA GeForce	GTX 1070	Medium	$\geq 600W$
NVIDIA GeForce	GTX 1080 Ti	High	$\geq 600W$
NVIDIA GeForce	Titan V*	High	$\geq 600W$
NVIDIA Quadro®	P2000	Low	$\geq 500W$
NVIDIA Quadro	P4000	Medium to High	$\geq 600W$
NVIDIA Quadro	GV100*	High	$\geq 600W$
NVIDIA Tesla®	P5000	High	$\geq 600W$
NVIDIA Tesla	V100*	High	$\geq 600W$

	Graphics Card Model	Performance	System Power Supply
Note:			
	<ul style="list-style-type: none">The NVIDIA GeForce Titan V, Quadro GV100 and Tesla V100 support the Tensor Core operation mode. Please contact your Cognex Sales Representative for information about enabling the functionality on your Cognex Dongle.For information about supported drivers, please visit the Cognex Support Site VisionPro ViDi Software Drive Support page.		

Software Installation

VisionPro ViDi Installation

To successfully install ViDi, perform the following:

1. Attach the Cognex Dongle to a USB port on the computer that will be used to develop the vision application.
2. Download the ViDi installer from the [Cognex support page](#).
3. Run the ViDi installer and follow the prompts.

ViDi Sub Task Designer Plugin Installation

To utilize the Cognex ViDi Sub Task block and ViDi devices in a Designer application, follow these steps:

1. Attach the Cognex Dongle to a USB port on the computer that will be used to develop the vision application.
2. Download the VisionPro 9.3 SR1 installer from the [Cognex support page](#).
3. Download the Designer 4.0 installer from the [Cognex support page](#).
4. Download the ViDi installer from the [Cognex support page](#).
5. Install VisionPro software, release 9.3 SR1.
6. Install Designer software, release 4.0.0.
7. Install ViDi software, release 3.2.1.

Note:

Choosing the Custom option will allow you to install selected features:

- The Wibu Runtime Server, which is needed to connect to the USB Cognex Dongle.
- The main ViDi application (this is required).
- The ViDi Developer API.
- The VisionPro, Designer and ViDi software require that a valid Cognex Dongle be installed during all phases of operation. Any attempts to temporarily remove, substitute, or share a Cognex Dongle may cause your system to operate incorrectly, and may result in the loss of data.



When ViDi is configured for the Client/Server functionality, and a computer has been configured as a server, the Cognex Dongle must be attached to the server, but the client(s) does not need a Cognex Dongle.

Release History

This topic lists the features and resolved issues in previous releases of ViDi.

ViDi 3.1.0

Tool and GUI Changes

- The ViDi Blue Read Tool has been added for Optical Character Recognition (OCR) applications.
- Speed improvements and increased performance for the Blue Locate Tool when matching models.
- The Feature Size parameter is now interactive and can be graphically resized within the GUI.
- Labeling with the Blue tools has been improved to include multi-feature selection and interaction.
- The Blue tools have improved flexibility for model optimization.
- In the results, a Confusion Matrix has been added for the Blue Locate and Blue Read tools.
- A new feature/match and region-focus display mode has been added when using the Database Explorer.
- Checks have been added to provide feedback on wrongly labeled views.
- The examples have been updated, and there is a new example for the Blue Read tool.
- The Green Classify Tool now includes the *Exclusive* parameter, which, when disabled, allows you to label a single image with multiple labels (indicating that the image belongs to multiple classes).
- The Red Analyze Tool – Statistics have been enhanced for better readability.
- There have been numerous issues resolved, and additional enhancements and improvements to the ViDi software.

Processing and Support Changes

- The GPU Memory Optimization is now activated by default (when using either the Windows Display Driver Model or Tesla Compute Cluster drivers). This feature can be activated and/or deactivated via command line arguments and the API.
- Command line arguments have been added to allow you to select the number of GPUs to utilize at startup of ViDi, to specify the GPU mode and to specify the amount of GPU memory to pre-allocate.
- There is a new Cognex VisionPro wrapper assembly, which provides data conversion between VisionPro and ViDi Suite, offering the following:
 - Efficient image conversion
 - Combined graphics
 - Fixturing conversion
 - Calibration conversion
- Support for Cognex Designer 4.0 has been added, with the addition of a ViDi Sub Task block, which contains the ViDi Suite tools and the ability to program the tools within the Cognex Designer IDE.
- Support for Cognex VisionPro 9.3 has been added.
- Support for Microsoft® Windows® 10 Professional (64-bit).
- Support for Microsoft® Windows® 7 Professional (64-bit).
- The performance when loading training Workspaces, utilizing on-demand loading of tools, has been improved.
- A new Workspace archive format, based on ZIP files, has been implemented.

Documentation Updates

You can download the ViDi Sub Task Designer Plugin Help and the ViDi Help on the Cognex Support website, and then replace the existing Help. Updates will be posted as they become available.

VisionPro ViDi Help

To update the ViDi Help file, follow these steps:

1. Go to [Cognex Deep Learning Support](#) and download the most recent version of the Cognex ViDi Suite Documentation, which is available as a ZIP file.
2. Download the file into the following directory: C:\Program Files\Cognex\ViDi Suite\3.2\documentation\ViDiSuite
3. Extract the contents from the ZIP file, and replace the contents and folders with the downloaded versions.
4. When you click the Help link in the ViDi Graphical User Interface (GUI), you see the newly downloaded Help.

ViDi Sub Task Designer Plugin Help

To update the ViDi Sub Task Help file, follow these steps:

1. Go to [Cognex Deep Learning Support](#) and download the most recent version of the Cognex ViDi Plugin Designer Documentation, which is available as a ZIP file.
2. Download the file into the following directory: C:\Program Files\Cognex\ViDi Suite\3.2\documentation\Designer
3. Extract the contents from the ZIP file, and replace the contents and folders with the downloaded versions.
4. When you click the Help link in the Designer Integrated Development Environment (IDE), you see the newly downloaded Help.

